



GROUPS OF STORES IN LARGE BUILDINGS



INDIVIDUAL BUILDING "FOUNDATION" PLANTING

REQUIRED PLANTING


N.D.D.



PARKING AREAS


LAYOUT, LIGHTING, PLANTING

N.D.T



INTERIOR ROADWAYS
LIGHTING & PLANTING

N. D. D.




NOTES:

- 1) SIGN TO BEAR LETTERING ONLY.
- 2) STYLE "HELVETICA" OR "MODIFIED HELVETICA."
- 3) WITHIN ANY ONE STANDARD, EITHER ALL CAPITALS, OR ALL LOWER CASE.

TYPICAL "DIRECTORY"
("STREET SIGN")




N. D. D.



Examples of Acceptable / Unacceptable Lighting Fixtures

Unacceptable / Discouraged


Fixtures that produce glare and light trespass




Unshielded Streetlight




Unshielded Security Light




Unshielded 'Period' Style Fixtures



Unshielded PAR Floodlights




Drop-Lens Canopy Fixtures





Acceptable




Fixtures that shield the light source to minimize glare and light trespass and to facilitate better vision at night



Full Cutoff Fixtures




Fully Shielded Wallpack & Wall Mount Fixtures



Full Cutoff Streetlight




Fully Shielded Security Light



Fully Shielded 'Period' Style Fixtures




bulb shielded in opaque top



Shielded / Properly-aimed PAR Floodlights



Flush Mounted Canoc Fixtures



Recommended illumination levels established by Illuminating Engineering Society of North America shall be observed.